Tuberculosis Quiz

Accelerating Advocacy for TB/HIV 15th July 2010, Vienna

Tuberculosis (TB) is caused by a virus?

TRUE

Tuberculosis (TB) is caused by a virus?

Tuberculosis

- Caused by infection with a bacteria
 - Mycobacteriumtuberculosis (M. tb)

 TB can be transmitted from person to person through touching or sharing plates/cups?

TRUE

 TB can be transmitted from person to person through touching or sharing plates/cups?

TB can be transmitted through singing?

TRUE

TB can be transmitted through singing?

TRUE

Tuberculosis

- Caused by infection with a bacteria
 - Mycobacterium tuberculosis
 - Spread like the common cold
 - Respiratory droplets in the air
 - Coughing, sneezing, talking, singing....

Tuberculosis only affects the lungs.

TRUE

Tuberculosis only affects the lungs.

Tuberculosis

- Caused by infection with a bacteria
 - Mycobacterium tuberculosis
- Respiratory droplets in the air
- Coughing, sneezing, talking, singing....
- TB usually affects the lungs but it can spread to other body parts

 A fifth (20%) of the world's population is infected with tuberculosis?

TRUE

 A fifth (20%) of the world's population is infected with tuberculosis?

Tuberculosis

- Caused by infection with a bacteria
 - Mycobacterium tuberculosis
- Respiratory droplets in the air
- Coughing, sneezing, talking, singing....
- TB usually affects the lungs but it can spread to other body parts
- 1/3 of the world's population infected with TB

What are the main symptoms of TB disease?

What are the main symptoms of TB disease?

- •persistent cough for > 2-3 weeks
- weight loss
- •fever
- night sweats
- coughing up blood

 Everyone who is infected with tuberculosis will eventually fall sick and die without treatment?

TRUE

 Everyone who is infected with tuberculosis will eventually fall sick and die without treatment?

Tuberculosis

- Caused by infection with a bacteria
 - Mycobacterium tuberculosis
 - Spread like the common cold
 - Respiratory droplets in the air
 - Coughing, sneezing, talking, singing....
 - TB usually affects the lungs but it can spread to other body parts
- 1/3 of the world's population is infected with TB
- Only 5-10% actually develop TB disease during their lifetime

 Some people are more likely than others to develop TB disease once they have been infected?

TRUE

 Some people are more likely than others to develop TB disease once they have been infected?

TRUE

Tuberculosis

- Caused by infection with a bacteria
 - Mycobacterium tuberculosis
 - Spread like the common cold
 - Respiratory droplets in the air
 - Coughing, sneezing, talking, singing....
- TB usually affects the lungs but it can spread to other body parts
- 1/3 of the world's population is infected with TB
- Only 5-10% actually develop TB disease during their lifetime
- Latent TB infection progresses to TB disease when the body's defence system is weakened e.g. HIV infection, malnutrition

 People who use drugs who are HIV negative are at increased risk of tuberculosis?

TRUE

 People who use drugs who are HIV negative are at increased risk of tuberculosis?

TRUE

 TB infection and disease rates can be up to 10 times higher in people who use drugs who are HIV negative compared to people who do not use drugs.

Tuberculosis is preventable and curable?

TRUE

Tuberculosis is preventable and curable?

TRUE

 Tuberculosis is preventable and curable for people living with HIV?

TRUE

 Tuberculosis is preventable and curable for people living with HIV?

TRUE

TB is curable!

- TB is treatable and curable, even in people living with HIV
 - (96% TB curable with 1st line drugs)
- Mortality rate much higher in people living with HIV

TB is preventable!

- The Three I's for HIV/TB
 - Infection control
 - Isoniazid preventive therapy
 - Intensive case finding

Thank you!